



MODENA CENTO ORE 2020 - Competition Section Excerpt from the Supplementary Regulation

The full SR will be sent to all registered and approved participants, and published on the website after the approval from ACI Sport.

Admission

The following cars are eligible:

- Open Two-Seat cars (OS) from Period C to D
- Two-Seat Racing cars (TSRC) from Period E to I
- Grand Touring Prototypes (GTP) from Period E to J
- Grand Touring and Competition Grand Touring cars (GT-GTS) from Period E to J
- Touring and Competition Touring cars (T-TC) from Period E to J

The Organising Committee has the right to accept or refuse the applications at its sole discretion.

All cars must hold a National or FIA HTP valid in rally, racing or hill-climb and must comply with Appendix K of the International Sporting Code. Cars must be registered for road use. Test plates are not allowed.

Both members of the crew must hold a valid medical's certificate for competitive sports

Please note that both driver and co-driver must hold a driving licence and must be in the car at all time, except in circuit races.

Codrivers with a navigator-only licence issued by their own motorsport authority are exempted from exhibiting the driver licence.

Safety measures

Crews: The crews must observe the safety regulations in Appendix L of the International Sporting Code, and in particular the sections concerning helmets and fireproof clothing, which must be presented for inspection during the pre-rally technical scrutineering.

Wearing fireproof clothing is mandatory for both crew members during the special stages and circuit races. Co-drivers are exempt from wearing gloves during the special stages.

Cars: Appendices J and K of the FIA international sporting code. All cars must carry on board a hand-held fire extinguisher compliant with the requirements of FIA Appendix J.

Period J vehicles must be fitted with a seat anchoring system and seat belts homologated for use in conjunction with a head restraint system (FHR). The head restraint system (FHR) is recommended for all other crew during the special stages and circuit races if at all possible.

Tyres

Only road legal tyres of the following types are admitted:

Periods C-F Cars are requested to race on Avon CR6ZZ both in circuit races and special stages. For cars that cannot fit the above mentioned model, the following tyres are also accepted: Dunlop Sport Classic and Dunlop Racing R5, Pirelli Collezione, Michelin Gamme Collection

Period G-J Period correct road-legal tyres with treaded pattern all over the width of the following types: Avon CR6ZZ, Michelin XAS, FF, TB5, TB15, PB20, Vredestein Sprint Classic or Pirelli P7 Corsa Classic (any Compound, including WET)

Dimensions of chosen tyres must be in accordance to Appendix K of the FIA sporting code, Art. 8.4.

Please note that tyres will be checked at each special stage and circuit race.



Service

Only registered support crews carrying the official support stickers will be allowed to enter the dedicated areas. Due to space constraints support crews must be registered within the deadline as per the entry form.

Assistance is not allowed:

- . in parc fermé areas corresponding with the control areas, as per ACI Sport Rally Regulations;
- . inside the special stages before the passage of the broom wagon (crew members can repair the car in safe conditions provided they do not hinder or prevent the execution of the special stage);
- . in the areas indicated and described in the Road Book or in areas closed to normal traffic;
- . on all roads included in the Road Book, where stopping and assisting the car is only allowed if not interfering with the normal traffic.
- . Special regulations for city centres: heavy maintenance work creating a nuisance to the public, work requiring welding, work on the fuel line or any work requiring a support car are strictly forbidden. Support cars are prohibited to enter for any reason. In case of need, cars must be moved to a suitable space. Oil resistant protections (cardboards) must be placed under the car at all time.

Administrative Checks and Scrutineering

Will be held in Rome on Tuesday June 2nd from 12:30 to 17:30

Reconnaissance

Reconnaissance of the Special Stages are strictly prohibited. The location of the Special Stages will not be published until the Road Book distribution.

The Organiser will distribute notes taken by an independent rally driver, without any liability on them.

Exclusions

The competitors will always be allowed to complete the rally in case of technical problems. Exclusion can only be inflicted by the Panel of the Stewards for major breaches of the Sporting Rules.

In case of missing a Time Check or a Passage Check the competitor will be inflicted a penalty of 10 minutes.

In case of missing a Special Stage or a Circuit Race, the competitor will be inflicted a penalty equal to the worst time of the stage plus 5 minutes.

In order to be admitted to the final classifications, however, the cars must enter on time the final parc fermé in Piazza Grande, Modena, no matter if the engine is running or not.

Classification

The following rankings will be established:

- the Overall Classification of periods C to F
- the Overall Classification of periods G to I
- the "Index of Performance" Classification (all periods) based on the following coefficients

Period	Years	FIA Class	Capacity	Coeff.
C (OS)	1919-1930	OS 1	0-1100	0,31
		OS 2	1101-1500	0,34
		OS 3	1501-3000	0,39
		OS 4	3001 +	0,43
E (TSRC)	1947-1957	TSRC 1	0-750	0,60
		TSRC 2	751-110	0,64
		TSRC 3	1101-1500	0,68
		TSRC 4	1501-2000	0,72
		TSRC 5	2001-3000	0,77
		TSRC 6	3001-5000	0,82
	1958-1960	TSRC 1	0-750	0,72
		TSRC 2	751-110	0,75
		TSRC 3	1101-1500	0,80
		TSRC 4	1501-2000	0,85
		TSRC 5	2001-3000	0,90
		TSRC 6	3001-5000	0,95
E (GTS)	1947-1954	GTS 1	0-2000	0,50
		GTS 2	2001 +	0,67
	1955-1961	GTS 3	0-1150	0,59
		GTS 4	1151-1300	0,64
		GTS 5	1301-1600	0,69
		GTS 6	1601-2500	0,75
		GTS 7	2501 +	0,81
E (TC)	1947-1954	TC 1	0-1150	0,39
		TC 2	1151-1300	0,43
		TC 3	1301-1600	0,48
		TC 4	1601-2500	0,51
		TC 5	2501 +	0,55
	1955-1961	TC 1	0-1150	0,52
		TC 2	1151-1300	0,57
		TC 3	1301-1600	0,62
		TC 4	1601-2500	0,68
		TC 5	2501 +	0,73
F (TSRC)	1961-1965	TSRC 7	0-750	0,90
		TSRC 8	751-110	0,95
		TSRC 9	1101-1500	1,00
		TSRC 10	1501-2000	1,05
		TSRC 11	2001-3000	1,10
		TSRC 12	3001-5000	1,15
F (GTS)	1962-1965	GTS 8	0-1150	0,76
		GTS 9	1151-1300	0,81
		GTS 10	1301-1600	0,86
		GTS 11	1601-2500	0,91
		GTS 12	2501 +	0,96
F (TC)	1962-1965	TC 6	0-1150	0,68
		TC 7	1151-1300	0,73
		TC 8	1301-1600	0,78
		TC 9	1601-2500	0,83
		TC 10	2501 +	0,88

Period	Years	FIA Class	Capacity	Coeff.	
D (OS)	1931-1946	OS 5	0-1100	0,37	
		OS 6	1101-1500	0,40	
		OS 7	1501-3000	0,45	
		OS 8	3001 +	0,50	
E (GTP)	1947-1954	GTP 1	0-2000	0,58	
		GTP 2	2001 +	0,74	
	1955-1961	GTP 3	0-1150	0,70	
		GTP 4	1151-1300	0,75	
		GTP 5	1301-1600	0,80	
		GTP 6	1601-2500	0,85	
		GTP 7	2501 +	0,90	
	E (GT)	1947-1954	GT 1	0-2000	0,48
			GT 2	2001 +	0,64
		1955-1961	GT 3	0-1150	0,56
GT 4			1151-1300	0,61	
GT 5			1301-1600	0,66	
GT 6			1601-2500	0,72	
GT 7			2501 +	0,77	
E (T)	1947-1954	T 1	0-1150	0,37	
		T 2	1151-1300	0,41	
		T 3	1301-1600	0,46	
		T 4	1601-2500	0,49	
		T 5	2501 +	0,53	
	1955-1961	T 1	0-1150	0,50	
		T 2	1151-1300	0,55	
		T 3	1301-1600	0,60	
		T 4	1601-2500	0,65	
		T 5	2501 +	0,70	
F (GTP)	1962-1965	GTP 8	0-1150	0,85	
		GTP 9	1151-1300	0,90	
		GTP 10	1301-1600	0,95	
		GTP 11	1601-2500	1,00	
		GTP 12	2501 +	1,05	
(GT)	1962-1965	GT 8	0-1150	0,72	
		GT 9	1151-1300	0,77	
		GT 10	1301-1600	0,82	
		GT 11	1601-2500	0,87	
		GT 12	2501 +	0,92	
F (T)	1962-1965	T 6	0-1150	0,65	
		T 7	1151-1300	0,70	
		T 8	1301-1600	0,75	
		T 9	1601-2500	0,80	
		T 10	2501 +	0,85	

G (TSRC)	1966-1969	TSRC 13	0-750	1,00	
		TSRC 14	751-110	1,05	
		TSRC 15	1101-1500	1,10	
		TSRC 16	1501-2000	1,15	
		TSRC 17	2001-3000	1,20	
		TSRC 18	3001-5000	1,25	
	1970-1971	TSRC 19	0-750	1,10	
		TSRC 20	751-110	1,15	
		TSRC 21	1101-1500	1,20	
		TSRC 22	1501-2000	1,25	
		TSRC 23	2001-3000	1,30	
		TSRC 24	3001-5000	1,35	
G (GTS)	1966-1969	GTS 13	0-1150	0,86	
		GTS 14	1151-1300	0,91	
		GTS 15	1301-1600	0,96	
		GTS 16	1601-2500	1,01	
		GTS 17	2501 +	1,06	
		1970-1971	GTS 18	0-1150	0,96
	GTS 19		1151-1300	1,01	
	GTS 20		1301-1600	1,06	
	GTS 21		1601-2500	1,11	
	GTS 22		2501 +	1,16	
	G (TC)		1966-1969	TC 11	0-1150
		TC 12		1151-1300	0,82
TC 13		1301-1600		0,87	
TC 14		1601-2500		0,92	
TC 15		2501 +		0,97	
1970-1971		TC 16		0-1150	0,87
		TC 17	1151-1300	0,92	
		TC 18	1301-1600	0,97	
		TC 19	1601-2500	1,02	
		TC 20	2501 +	1,07	

G (GTP)	1966-1969	GTP 13	0-1150	0,95	
		GTP 14	1151-1300	1,00	
		GTP 15	1301-1600	1,05	
		GTP 16	1601-2500	1,10	
		GTP 17	2501 +	1,15	
		1970-1971	GTP 18	0-1150	1,05
	GTP 19		1151-1300	1,10	
	GTP 20		1301-1600	1,15	
	GTP 21		1601-2500	1,20	
	GTP 22		2501 +	1,25	
	G (GT)		1966-1969	GT 13	0-1150
		GT 14		1151-1300	0,86
GT 15		1301-1600		0,91	
GT 16		1601-2500		0,96	
GT 17		2501 +		1,01	
1970-1971		GT 18		0-1150	0,91
		GT 19	1151-1300	0,96	
		GT 20	1301-1600	1,01	
		GT 21	1601-2500	1,06	
		GT 22	2501 +	1,11	
		G (T)	1966-1969	T 11	0-1150
T 12				1151-1300	0,78
T 13	1301-1600			0,83	
T 14	1601-2500			0,88	
T 15	2501 +			0,93	
1970-1971	T 16			0-1150	0,83
	T 17		1151-1300	0,88	
	T 18		1301-1600	0,93	
	T 19		1601-2500	0,98	
	T 20		2501 +	1,03	

H (TSRC)	1972-1975	TSRC 25	0-750	1,20	
		TSRC 26	751-110	1,25	
		TSRC 27	1101-1500	1,30	
		TSRC 28	1501-2000	1,35	
		TSRC 29	2001-3000	1,40	
		TSRC 30	3001-5000	1,45	
	1976	TSRC 31	0-750	1,30	
		TSRC 32	751-110	1,35	
		TSRC 33	1101-1500	1,40	
		TSRC 34	1501-2000	1,45	
		TSRC 35	2001-3000	1,50	
		TSRC 36	3001-5000	1,55	
H (GTS)	1972-1975	GTS 23	0-1150	1,06	
		GTS 24	1151-1300	1,11	
		GTS 25	1301-1600	1,16	
		GTS 26	1601-2500	1,21	
		GTS 27	2501 +	1,26	
		1976	GTS 28	0-1150	1,11
	GTS 29		1151-1300	1,16	
	GTS 30		1301-1600	1,21	
	GTS 31		1601-2500	1,26	
	GTS 32		2501 +	1,31	
	H (TC)		1972-1975	TC 21	0-1150
		TC 22		1151-1300	1,01
TC 23		1301-1600		1,06	
TC 24		1601-2500		1,11	
TC 25		2501 +		1,16	
1976		TC 26		0-1150	1,01
		TC 27	1151-1300	1,06	
		TC 28	1301-1600	1,11	
		TC 29	1601-2500	1,16	
		TC 30	2501 +	1,21	
		I (TSRC)	1977-1981	TSRC 37	0-750
TSRC 38				751-110	1,40
TSRC 39	1101-1500			1,45	
TSRC 40	1501-2000			1,50	
TSRC 41	2001-3000			1,55	
TSRC 42	3001-5000			1,60	
I (GTS)	1977-1981	GTS 33	0-1150	1,17	
		GTS 34	1151-1300	1,22	
		GTS 35	1301-1600	1,27	
		GTS 36	1601-2500	1,32	
		GTS 37	2501 +	1,37	
I (TC)	1977-1981	TC 31	0-1150	1,05	
		TC 32	1151-1300	1,10	
		TC 33	1301-1600	1,15	
		TC 34	1601-2500	1,20	
		TC 35	2501 +	1,25	

H (GTP)	1972-1975	GTP 23	0-1150	1,15	
		GTP 24	1151-1300	1,20	
		GTP 25	1301-1600	1,25	
		GTP 26	1601-2500	1,30	
		GTP 27	2501 +	1,35	
		1976	GTP 28	0-1150	1,20
	GTP 29		1151-1300	1,25	
	GTP 30		1301-1600	1,30	
	GTP 31		1601-2500	1,35	
	GTP 32		2501 +	1,40	
	H (GT)		1972-1975	GT 23	0-1150
		GT 24		1151-1300	1,06
GT 25		1301-1600		1,11	
GT 26		1601-2500		1,16	
GT 27		2501 +		1,21	
1976		GT 28		0-1150	1,06
		GT 29	1151-1300	1,11	
		GT 30	1301-1600	1,16	
		GT 31	1601-2500	1,21	
		GT 32	2501 +	1,26	
		H (T)	1972-1975	T 21	0-1150
T 22				1151-1300	0,96
T 23	1301-1600			1,01	
T 24	1601-2500			1,06	
T 25	2501 +			1,11	
1976	T 26			0-1150	0,96
	T 27		1151-1300	1,01	
	T 28		1301-1600	1,06	
	T 29		1601-2500	1,11	
	T 30		2501 +	1,16	
	I (GTP)		1977-1981	GTP 33	0-1150
GTP 34				1151-1300	1,35
GTP 35		1301-1600		1,40	
GTP 36		1601-2500		1,45	
GTP 37		2501 +		1,50	
I (GT)		1977-1981		GT 33	0-1150
	GT 34		1151-1300	1,16	
	GT 35		1301-1600	1,21	
	GT 36		1601-2500	1,26	
	GT 37		2501 +	1,31	
	I (T)		1977-1981	T 31	0-1150
T 32		1151-1300		1,05	
T 33		1301-1600		1,10	
T 34		1601-2500		1,15	
T 35		2501 +		1,20	